

PPO 14 JUL 2004



** ROJ. 1187

PRIORITY

The Patent Office Concept House Cardiff Road Newport South Wales **NP10 8QQ**

REC'D 2 0 MAR 2003

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before reregistration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

19 February 2003

Dated

Patents Form 1/77

THE PATENT OFFICE

FAX NO. : '

14 JAN 2002

RECEIVED BY FAX

The Patent Office Cardiff Road Newport NP9 1RH

Request for grant of a patent

		14JANO2 E687611-1 D02846
1.	Your Reference	AWN/CK/V931
2.	Application number	0200680.7 14 JAN 2002
3.	Full name, address and postcode of the or each Applicant	Mila Hardware Limited 1 Brunel Close Drayton Fields Industrial Estate
	Country/state of incorporation (if applicable)	Daventry Northants NN11 5RB 743573850
		Cedardell Limited Collingwood House 3 Collingwood Street Newcastle upon Tyne NEI 1JW 5551387003
		Incorporated in: UK
4.	Title of the invention	LOCKING MECHANISM
5.	Name of agent	APPLEYARD LEES
	Address for service in the UK to which all correspondence should be sent	
	Patents ADP number	190001
6.	Priority claimed to:	Country Application number Date of filing
7.	Divisional status claimed from:	Number of parent application Date of filing
8,	Is a statement of inventorship an of right to grant a patent required support of this application?	

Patents Form 1/77

Enter the number of sheets for any
of the following items you are
filing with this form. Do not count
copies of the same document

Continuation sheets of this form

Description

Claim(s)

Abstract

Drawing(s)

de de la como

 If you are also filing any of the following, state how many against each item

Priority documents

Translation of priority documents

Statement of inventorship and right to grant a patent (PF 7/77)

Request for a preliminary examination and search (PF 9/77)

Request for substantive examination (PF 10/77)

Any other documents (please specify)

11.

We request the grant of a patent on the basis of this application. Signature Date

APPLEYARD LEES

14 January 2002

12. Contact

Alastair W Neill- 01422 330110

LOCKING MECHANISM

The invention relates to locking mechanisms and particularly to electronic locking mechanisms for use with structures such as buildings.

5

10

15

20

More and more sophisticated locking mechanisms are becoming available, for example to secure a structural building such as a house, with a view to providing a high degree of security against unauthorised entry. However, a down side of the increased security is that if some problems should arise with the householder within the house, for example because of a fire or accident or illness, the householder can actually be put at an increased risk because it is more difficult for rescue services, for example, to enter the house.

The invention seeks to provide a locking mechanism which can provide a high degree of security against unauthorised entry, but facilitates authorised entry.

Accordingly, the invention provides a locking mechanism operable to restrict unauthorised access to a structure such as a house, the locking mechanism being operable to permit external access, by means of at least two remote control devices operable from outside the structure, one of the remote control devices being arranged for use by an occupant of the structure and another of the remote control devices being arranged for use by an authorised official such as a police officer, fire officer or safety officer (e.g. doctor, nurse, paramedic or ambulance personnel).

25

30

Preferably, the locking mechanism is associated with at least one internal safety device, for example a smoke detector or panic button, the locking mechanism being such that if the safety device is activated, this makes the locking mechanism susceptible to an entry signal from an associated external operating device.

For example, the locking mechanism may be such that if a smoke detector within a house is operated, then this will put the locking mechanism into a condition in which an operating device specifically allocated to fire officers will enable a fire officer to gain access to the house.

Similarly if a panic button is activated within a house, a doctor, nurse, paramedic or the like can gain access.

The invention includes a structure when fitted with a locking mechanism according to the invention.

By way of example, a specific embodiment of the invention will now be described, with reference to figures 1 and 2 of the accompanying drawings.

Figure 1 is a diagrammatic illustration of a door fitted with an embodiment of locking mechanism according to the invention; and

Figure 2 is a diagrammatic view of a control system for the locking mechanism.

Figure 1 illustrates an external house door 10 hinged to a frame 11. An internal handle 12 is visible in figure 1 and there is a similar external handle which is not visible in the drawings.

The door can be locked in the closed position in any desired manner, and can be unlocked from outside the house by pressing a button 13 on a fob 14 shown in figure 1 to an enlarged scale.

During normal operation of the door, only the fob 14 is required.

However, referring to Figure 2, the electronic components 15 of the door locking mechanism 16 are associated with three internal safety devices, namely a smoke detector 17, a burglar alarm 18 and a panic button 19.

These safety devices may be connected to the components 15 by hard wiring 20, or they may communication remotely, using radio signals for example. The panic button 19 in particular may operate remotely, since such devices are commonly carried by householders in their pocket or handbag, for example for the benefit of an elderly or infirm householder who may suffer a fall or other medical emergency.

In the locality of the house, fire officers are provided with a specifically coded type of fob 21. Police officers are provided with a differently coded fob 22 and health officers such as district nurses are provided with a third type of coded fob 23.

Even if the door is securely locked, activation of the smoke detector 17 makes the locking mechanism receptive to an unlocking signal from the fob 21. Activation of the burglar alarm 18 makes the locking mechanism receptive to an unlocking signal from the fob 22, and activation of the panic button 19 makes the locking mechanism susceptible to an unlocking signal from the fob 23.

20

15

Thus, whatever situation develops within the house, the appropriate authorised official can gain entry, but only those appropriately authorised to deal with that particular situation.

- Although the invention may be used with any desired locking mechanism, a particularly convenient locking mechanism is that described in our co-pending patent application filed on the same date having our Patent Attorney's reference number V903.
- The reader's attention is directed to all papers and documents which are filed concurrently with or previous to this specification in connection with this application and which are open to public inspection with this specification, and

the contents of all such papers and documents are incorporated herein by reference.


All of the features disclosed in this specification (including any accompanying claims, abstract and drawings), and/or all of the steps of any method or process so disclosed, may be combined in any combination, except combinations where at least some of such features and/or steps are mutually exclusive.

Each feature disclosed in this specification (including any accompanying claims, abstract and drawings), may be replaced by alternative features serving the same, equivalent or similar purpose, unless expressly stated otherwise. Thus, unless expressly stated otherwise, each feature disclosed is one example only of a generic series of equivalent or similar features.


The invention is not restricted to the details of the foregoing embodiment(s). The invention extends to any novel one, or any novel combination, of the features disclosed in this specification (including any accompanying claims, abstract and drawings), or to any novel one, or any novel combination, of the steps of any method or process so disclosed.

20

15







This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
FADED TEXT OR DRAWING
BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Остить

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.